


```

</tr>
</table>
<div align="center">
<center>
<table border="0" width="100%">
<tr>
<td width="100%">
<p align="center">&nbsp;&nbsp;&nbsp;</td>
</tr>
</table>
</center>
</div>
<br>
<table width="300" border="0" cellpadding="0" bgcolor="#003366" align="left">
<tr>
<td><font face="Verdana"><b><font size="2" color="#FFFFFF" class="arial2">
<i>Studen</i></font></b></font><b><i><font
face="Verdana" size="2" color="#FFFFFF">ti
tesisti</font></i></b></td>
</tr>
</table>

<%
dim objConn, strDBName
strDBName = "DBQ=c:\Inetpub\DBLitWeb\db_tesisi.mdb;"

Set objConn = Server.CreateObject("ADODB.Connection")
objConn.ConnectionString = "DRIVER={Microsoft Access Driver (*.mdb)};" & strDBName

objConn.Open
dim objRs
set objRs = Server.CreateObject("ADODB.Recordset")

objRs.open "tesisti", objconn
%>
<%
Do while Not objRS.EOF

if objRS("laureato") <> true then
%>
<p align="left">&nbsp;&nbsp;&nbsp;</p>
<ul>
<li><p align="left">&nbsp;&nbsp;&nbsp;Studente: <%Response.Write objRS("cognome")%>, <%Response.Write objRS("Nome")%>
</p>
</li>
<li><p align="left">&nbsp;&nbsp;&nbsp;data laurea: <%Response.Write objRS("data laurea")%> </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;titolo tesi:&nbsp;&nbsp;&nbsp; <%Response.Write objRS("argomento tesi")%> </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;Relatore/Co-Relatore: <%Response.Write objRS("relatore")%>
/ <%Response.Write objRS("co-relatore")%></p>
</li>
</ul>
<p>_____</P><%
end if
objRS.Movenext
Loop
set objRs = Server.CreateObject("ADODB.Recordset")
objRs.open "tesisti", objconn
%>

<table width="300" border="0" cellpadding="0" bgcolor="#003366" align="left">
<tr>
<td><font face="Verdana"><b><font size="2" color="#FFFFFF" class="arial2">
<i>Studen</i></font></b></font><b><i><font
face="Verdana" size="2" color="#FFFFFF">ti
laureati</font></i></b></td>
</tr>
</table>
<p>

<P>&nbsp;&nbsp;&nbsp;</P>

```

```

    <%
    Do while Not objRS.EOF

    if objRS("laureato") = true then
        %>
    <ul>
    <li> <p align="left">&nbsp;&nbsp;&nbsp;Studente: <%Response.Write objRS("cognome")%>, <%Response.Write objRS("nome")%>
        </p>
        </li>
    <li> <p align="left">&nbsp;&nbsp;&nbsp;data laurea: <%Response.Write objRS("data laurea")%> </p>
        </li>
    <li>
        <p align="left">&nbsp;&nbsp;&nbsp;titolo tesi:&nbsp;&nbsp;&nbsp;<%Response.Write objRS("argomento tesi")%> </p>
        </li>
    <li>
        <p align="left">&nbsp;&nbsp;&nbsp;Relatore/Co-Relatore: <%Response.Write objRS("relatore")%>
        / <%Response.Write objRS("co-relatore")%></p>
        </li>
    </ul>
    <P>_____</P><%
    end if
    objRS.Movenext
    Loop

objRS.Close
Set objRS = Nothing
objConn.Close
Set objConn = Nothing
%>

```

```

<p align="left">&nbsp;&nbsp;&nbsp;</p>
<p>
<a href="students.htm">back</a></p>
<table width="100%" border="0" cellspacing="0" cellpadding="0">
<tr>
<td width="5%">
<div align="left"></div>
</td>
<td width="92%">&nbsp;&nbsp;&nbsp;</td>
<td width="3%">
<div align="right"></div>
</td>
</tr>
</table>
</div>
</td>
</tr>
</table>
<br>
<table width="800" border="0" cellpadding="0" bgcolor="#000000">
<tr>
<td bgcolor="#006699">
<div align="center"><font size="3" face="Arial, Helvetica, sans-serif"><b><b></font></div>
</td>
</tr>
</table>
<p>&nbsp;&nbsp;&nbsp;</p>
</body>
</html>

```

Sorgente HTML

```

<html>
<head>
<title>LIT laboratorio di informatica e telecomunicazioni</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<script language="JavaScript">
<!--
function MM_reloadPage(init) { //reloads the window if Nav4 resized
  if (init==true) with (navigator) {if ((appName=="Netscape")&&(parseInt(appVersion)==4)) {
    document.MM_pgW=innerWidth; document.MM_pgH=innerHeight; onresize=MM_reloadPage; }}
  else if (innerWidth!=document.MM_pgW || innerHeight!=document.MM_pgH) location.reload();
}
MM_reloadPage(true);
// -->
</script>
<link rel="stylesheet" href="Images/ccs.css" type="text/css">
</head>

<body bgcolor="#FFFFFF" text="#000000">
<table width="800" border="0" cellpadding="0" bgcolor="#000000">
  <tr>
    <td bgcolor="#006699">
      &nbsp;  </td>
  </tr>
</table>
<div align="left"><object classid="clsid:D27CDB6E-AE6D-11cf-96B8-444553540000"
codebase="http://download.macromedia.com/pub/shockwave/cabs/flash/swflash.cab#version=5,0,0,0" width="800" height="150">
  <param name=movie value="menuPRINCIPALE.swf">
  <param name=quality value=high>
  <embed src="menuPRINCIPALE.swf" quality=high
pluginspage="http://www.macromedia.com/shockwave/download/index.cgi?P1_Prod_Version=ShockwaveFlash" type="application/x-shockwave-
flash" width="800" height="150">
  </embed></object>
  <div id="Layer1" style="position:absolute; width:100px; height:135px; z-index:1; left: 11px; top: 193px">
    <table width="100" border="0" cellpadding="0" align="left" cellspacing="0">
      <tr>
        <td>
          <p><b><font size="1" face="Verdana" color="#00FF00"><a href="default.htm"><font color="#006699"><span
class="arial1">HOME</span></font></a></font><span class="arial1"><font size="1" face="Verdana" color="#006699"><br>
</font></span><font size="1" face="Verdana" color="#006699"> <font color="#00FF00"><a href="people.htm"><font
color="#006699"><span class="arial1">PEOPLE</span></font></a></font><br>
<font color="#00FF00"><a href="teaching.htm"><font color="#006699"><span class="arial1">TEACHING</span></font><span
class="arial1"><br>
</span></a></font></font></b><b><font size="1" face="Verdana" color="#006699"><font color="#00FF00"><a href="misc-
info.htm"><font color="#006699"><span class="arial1">STUDENTS</span></font><span class="arial1"><br>
</span></a></font></font></b><b><font size="1" face="Verdana" color="#006699"><font color="#00FF00"><a href="misc-
info.htm"><font color="#006699"><span class="arial1">MISC.
INFO</span></font> <span class="arial1"><br>
</span></a></font></font></b><b><font size="1" face="Verdana" color="#006699"><font color="#00FF00"><a
href="..PreRelease/resources.htm"><font color="#006699"><span class="arial1">RESOURCES</span></font>
</a><br>
</font></font><font size="1" face="Verdana" color="#00FF00"><a href="log-in.htm"><font color="#006699"><span class="arial1">LOG-
IN</span></font></a></font><font size="1" face="Verdana" color="#006699">
</font></b></p>
        </td>
      </tr>
    </table>
    <p align="center">&nbsp;  </p>
  </div>
</div>
<table width="700" border="0" cellpadding="0" height="1">
  <tr>
    <td width="102">&nbsp;  </td>
    <td width="592" bgcolor="#E4E4E4">
      <div align="center">
        <table width="100%" border="0" cellspacing="0" cellpadding="0" height="24">
          <tr>
            <td width="2%" height="24">
              <div align="left"></div>
            </td>
            <td width="90%" height="24">&nbsp;  </td>
            <td width="8%" height="24">
              <div align="right"></div>
            </td>
          </tr>
        </table>
      </div>
    </td>
  </tr>
</table>

```

```

<div align="center">
<center>
<table border="0" width="100%">
<tr>
<td width="100%">
<p align="center">&nbsp;&nbsp;&nbsp;</p>
</td>
</tr>
</table>
</center>
</div>
<br>
<table width="300" border="0" cellpadding="0" bgcolor="#003366" align="left">
<tr>
<td><font face="Verdana"><b><font size="2" color="FFFFFF" class="arial2">
<i>Studen</i></font></b></font><b><i><font
face="Verdana" size="2" color="FFFFFF">ti
tesisti</font></i></b></td>
</tr>
</table>

```

```

<p align="left">&nbsp;&nbsp;&nbsp;</p>
<ul>
<li> <p align="left">&nbsp;&nbsp;&nbsp;Studiante: Secondo, studente
</p>
</li>
<li> <p align="left">&nbsp;&nbsp;&nbsp;data laurea: </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;titolo tesi:&nbsp;&nbsp;&nbsp; q </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;Relatore/Co-Relatore: q
/ q</p>
</li>
</ul>
<P>_____</P>

```

```

<p align="left">&nbsp;&nbsp;&nbsp;</p>
<ul>
<li> <p align="left">&nbsp;&nbsp;&nbsp;Studiante: terzo, studente
</p>
</li>
<li> <p align="left">&nbsp;&nbsp;&nbsp;data laurea: </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;titolo tesi:&nbsp;&nbsp;&nbsp; l </p>
</li>
<li>
<p align="left">&nbsp;&nbsp;&nbsp;Relatore/Co-Relatore: l
/ l</p>
</li>
</ul>
<P>_____</P>

```

```

<table width="300" border="0" cellpadding="0" bgcolor="#003366" align="left">
<tr>
<td><font face="Verdana"><b><font size="2" color="FFFFFF" class="arial2">
<i>Studen</i></font></b></font><b><i><font
face="Verdana" size="2" color="FFFFFF">ti
laureati</font></i></b></td>
</tr>
</table>
<p>

```

```

<P>&nbsp;&nbsp;&nbsp;</P>

```

```

<ul>
<li> <p align="left">&nbsp;&nbsp;&nbsp;Studiante: Primo, Studente
</p>
</li>
<li> <p align="left">&nbsp;&nbsp;&nbsp;data laurea: </p>
</li>
<li>

```

```

                <p align="left">&nbsp;titolo tesi:&nbsp;</p>
            </li>
        </ul>
        <ul>
            <li>
                <p align="left">&nbsp;Relatore/Co-Relatore:
                / </p>
            </li>
        </ul>
        <P>_____</P>
        <ul>
            <li> <p align="left">&nbsp;Studente: quarto, studente
                </p>
            </li>
            <li> <p align="left">&nbsp;data laurea: </p>
            </li>
            <li>
                <p align="left">&nbsp;titolo tesi:&nbsp; z </p>
            </li>
            <li>
                <p align="left">&nbsp;Relatore/Co-Relatore: z
                / z</p>
            </li>
        </ul>
        <P>_____</P>
    
```

```

        <p align="left">&nbsp;</p>
        <p>
        <a href="students.htm">back</a></p>
        <table width="100%" border="0" cellspacing="0" cellpadding="0">
            <tr>
                <td width="5%">
                    <div align="left"></div>
                </td>
                <td width="92%">&nbsp;</td>
                <td width="3%">
                    <div align="right"></div>
                </td>
            </tr>
        </table>
        </div>
        </td>
        </tr>
        </table>
        <br>
        <table width="800" border="0" cellpadding="0" bgcolor="#000000">
            <tr>
                <td bgcolor="#006699">
                    <div align="center"><font size="3" face="Arial, Helvetica, sans-serif"><b></b></font></div>
                </td>
            </tr>
        </table>
        <p>&nbsp;</p>
    </body>
</html>
    
```

Pagina Visualizzata

Studenti tesisti

- data laurea:
 - titolo tesi: q
 - Relatore/Co-Relatore: q / q
-

- Studente: Secondo, studente

- Studente: terzo, studente
 - data laurea:
 - titolo tesi: l
 - Relatore/Co-Relatore: l / l
-

Studenti laureati

- data laurea:
 - titolo tesi:
 - Relatore/Co-Relatore: /
-

- Studente: Primo, Studente

- Studente: quarto, studente
 - data laurea:
 - titolo tesi: z
 - Relatore/Co-Relatore: z / z
-

[back](#)